




## Polar Shackles G-5163

### Информация за продукта

Bow shackles with safetybolt, for use under extreme climatic conditions.

**Standard:** EN 13889, ASME B30.26 and meets performance requirements of US Fed. Spec. RR-C-271 Type IVA Class 3, Grade A

**Safety factor:** 7:1 up to WLL 42,5 ton. 6:1 for 55 and 85 ton.

**Маркировка:** Съгласно релевантния стандарт, CE - маркировка

**Стандарт:** EN 13889

**Клас :** 8

| Продуктов номер | WLL<br>тон | a<br>мм | b<br>мм | c<br>мм | d<br>мм | e<br>мм | f<br>мм | g<br>мм | h<br>мм | i<br>мм | j<br>мм | k<br>мм | Тегло<br>кг |
|-----------------|------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------------|
| 420100200520    | 2          | 13,5    | 16      | 34      | 13      | 22      | 51      | 32      | 89      | 82      | 58      | 13      | 0,42        |
| 420100330520    | 3,25       | 16      | 19      | 40      | 16      | 27      | 64      | 43      | 110     | 98      | 75      | 17      | 0,74        |
| 420100480520    | 4,75       | 19      | 22      | 46      | 19      | 31      | 76      | 51      | 129     | 114     | 89      | 19      | 1,18        |
| 420100650520    | 6,5        | 22      | 25      | 52      | 22      | 36      | 83      | 58      | 144     | 130     | 102     | 22      | 1,77        |
| 420100850520    | 8,5        | 25      | 28      | 59      | 25      | 43      | 95      | 68      | 164     | 150     | 118     | 25      | 2,58        |
| 420100950520    | 9,5        | 28      | 32      | 66      | 28      | 47      | 108     | 75      | 185     | 166     | 131     | 27      | 3,66        |
| 420101200520    | 12         | 32      | 35      | 72      | 32      | 51      | 115     | 83      | 201     | 178     | 147     | 30      | 4,91        |
| 420101350520    | 13,5       | 35      | 38      | 80      | 35      | 57      | 133     | 92      | 227     | 197     | 162     | 33      | 6,54        |
| 420101700520    | 17         | 38      | 42      | 88      | 38      | 60      | 146     | 99      | 249     | 202     | 175     | 19      | 8,19        |
| 420102500520    | 25         | 45      | 50      | 103     | 45      | 74      | 178     | 126     | 300     | 249     | 216     | 23      | 14,22       |
| 420103500520    | 35         | 50      | 57      | 116     | 50      | 83      | 197     | 138     | 334     | 269     | 238     | 26      | 19,85       |
| 420104250520    | 42,5       | 57      | 65      | 130     | 57      | 95      | 222     | 160     | 377     | 301     | 274     | 29      | 28,33       |
| 420105500520    | 55         | 65      | 70      | 145     | 65      | 105     | 260     | 180     | 433     | 330     | 310     | 32      | 39,59       |
| 420108500520    | 85         | 75      | 83      | 162     | 73      | 127     | 329     | 190     | 527     | 380     | 340     | 39      | 62          |

# Чертеж

