



Master Link A/S Grade 10

Product information

Designed for use in 1-leg and 2-leg slings.

Material: Alloy steel.

Marking: According to standard, CE-marked, code and grade.

Finish: Violet powder coated.

Standard: EN 1677-4

Warning: Not to be heat-treated.

Safety factor: 4:1

Grade: 10

Part code	Code	Chain diameter mm	WLL ton	EWL mm	d mm	t mm	w mm	s mm	Weight kg
402100230280	A/S-13-10	6-7	2.3	110	13	110	60	10	0.34
402100350280	A/S-16-10	8	3.5	110	17	110	60	14	0.55
402100500280	A/S-18-10	10	5	135	19	135	75	14	0.94
402100760280	A/S-22-10	13	7.6	160	23	160	90	17	1.64
402101000280	A/S-26-10	16	10	180	27	180	100	20	2.53
402101400280	A/S-32-10	19	14	200	33	200	110	26	4.28
402102510280	A/S-36-10	22	25.1	260	36	260	140	-	6.22
402103080280	A/S-45-10	26	30.8	340	45	340	180	-	12.74
402104000280	A/S-50-10	26	40	350	50	350	190	-	16.55
402106400280	A/S-56-10	26	64	400	56	400	200	-	23.3

Blueprint

