



## Crane scales

### Product information

Also available for bigger loads. Battery charger is included. Operating time at one charge is approx. 100 hours. Equipped with wireless remote control with reset, hold, tare, unit change and switch off.

**Features:** Precision class OIML III and protection class IP54  
**Material:** Steel

| Part Code   | WLL ton | Resolution kg | A mm  | B mm | C mm | D mm | E mm | F mm | G mm | Weight kg |
|-------------|---------|---------------|-------|------|------|------|------|------|------|-----------|
| 6097KV3ABT  | 3       | 1             | 550   | 230  | 340  | 150  | 60   | 80   | 40   | 15.2      |
| 6097KV5ABT  | 5       | 2             | 690   | 230  | 340  | 150  | 100  | 120  | 50   | 24        |
| 6097KV10ABT | 10      | 5             | 820   | 230  | 340  | 150  | 100  | 120  | 55   | 43        |
| 6097KV20ABT | 20      | 10            | 1,120 | 230  | 360  | 155  | 140  | 220  | 90   | 66.4      |

**Technical data**

**SPARE PARTS**

| Spare part (product code) | Description         | Suitable for crane scale (product code) |
|---------------------------|---------------------|-----------------------------------------|
| KVABTLATURI               | Battery charger     | KV3ABT, KV5ABT, KV10ABT, KV20ABT        |
| KVABTKAUKO                | Remote control      | KV3ABT, KV5ABT, KV10ABT, KV20ABT        |
| KVAKKU                    | Battery 6 V / 10 Ah | KV3ABT, KV5ABT, KV10ABT, KV20ABT        |

Also other spare parts available with a delivery time, ask our sales for more information

## Blueprint

