Lifting Solutions Group
Axel Johnson International

# Master Link VIP 1-leg RUD

## Product information



VAK 1 master link with an all direction movable welded VRG connector, thus ensuring that only the correct chain diameter and number of strands can be connected. VIP-Master link is marked by the RUD-ID-TAG® (RFID chip) and with the clear identification number distinguished. Complete identification tag with an integrated chain testing gauge. Pre-assembled connecting bolt and tensioning sleeve.

... *Read more*

**Marking:** According to standard
**Temperature range:** -40°C up to 200°C
**Standard:** EN 1677-4

**Safety factor:** 4:1
**Grade:** 10


**Certex Polska**
info@certex.pl
+48 91 817 28 49

© November 2026 - All Rights Reserved

CERTEX | Lifting Solutions Group
Axel Johnson International

# Master Link VIP 1-leg RUD

## Blueprint




## Technical data

| Part code | Code | WLL ton | A mm | B mm | C mm | D mm | E mm | T mm | F mm | Weight kg |
|---|---|---|---|---|---|---|---|---|---|---|
| 402100060830 | VAK-1/2-4 | 0.63 | 9 | 30 | 28 | 20 | 6 | 55 | - | 0.12 |
| 402100150831 | VBK-1-16 | 1.5 | 13 | 25 | 54 | - | - | 82 | - | 0.38 |
| 402100150830 | VAK-1-6 | 1.5 | 13 | 60 | 110 | - | - | 138 | - | 0.54 |
| 402100150832 | VSAK-1-6 / 140 | 1.5 | 18 | 140 | 260 | - | - | 342 | - | 1.95 |
| 402100250831 | VBK-1-8 | 2.5 | 16 | 34 | 70 | - | - | 107 | - | 0.72 |
| 402100250830 | VAK-1-8 | 2.5 | 16 | 60 | 110 | - | - | 147 | - | 0.9 |
| 402100250832 | VSAK-1-8 / 140 | 2.5 | 22 | 140 | 260 | - | - | 367 | - | 3.2 |
| 402100250833 | VSAK-1-8 / 190 | 2.5 | 22 | 190 | 350 | - | - | 457 | - | 3.67 |
| 402100400831 | VBK-1-10 | 4 | 18 | 40 | 85 | - | - | 131 | - | 1.15 |
| 402100400830 | VAK-1-10 | 4 | 18 | 75 | 135 | - | - | 181 | - | 1.44 |
| 402100400832 | VSAK-1-10 / 140 | 4 | 26 | 140 | 260 | - | - | 391 | - | 3.4 |
| 402100400833 | VSAK-1-10 / 190 | 4 | 26 | 190 | 350 | - | - | 481 | - | 5.34 |
| 402100400834 | VSAK-1-10 / 250 | 4 | 36 | 250 | 460 | - | - | 591 | - | 11.77 |
| 402100670831 | VBK-1-13 | 6.7 | 22 | 50 | 115 | - | - | 174 | - | 2.21 |
| 402100670830 | VAK-1-13 | 6.7 | 22 | 90 | 160 | - | - | 218 | - | 2.68 |
| 402100670832 | VSAK-1-13 / 140 | 6.7 | 32 | 140 | 260 | - | - | 433 | - | 7.35 |
| 402100670833 | VSAK-1-13 / 190 | 6.7 | 32 | 190 | 350 | - | - | 523 | - | 8.7 |
| 402100670834 | VSAK-1-13 / 250 | 6.7 | 36 | 250 | 460 | - | - | 634 | - | 12.83 |
| 402101000831 | VBK-1-16 | 10 | 26 | 65 | 140 | - | - | 211 | - | 3.84 |
| 402101000830 | VAK-1-16 | 10 | 26 | 100 | 180 | - | - | 250 | - | 4.35 |
| 402101000832 | VSAK-1-16 / 140 | 10 | 32 | 140 | 260 | - | - | 471 | - | 8.96 |
| 402101000833 | VSAK-1-16 / 190 | 10 | 36 | 190 | 350 | - | - | 560 | - | 12.13 |

**Certex Polska**
info@certex.pl
+48 91 817 28 49

© November 2026 - All Rights Reserved

CERTEX | Lifting Solutions Group
Axel Johnson International

# Master Link VIP 1-leg RUD

## Technical data

| Part code | Code | WLL ton | A mm | B mm | C mm | D mm | E mm | T mm | F mm | Weight kg |
|---|---|---|---|---|---|---|---|---|---|---|
| 402101000834 | VSAK-1-16 / 250 | 10 | 40 | 250 | 460 | - | - | 671 | - | 17.2 |
| 402101600830 | VBK-1-20 | 16 | 32 | 75 | 170 | - | - | 264 | - | 7.65 |
| 402101600831 | VAK-1-20 | 16 | 40 | 180 | 340 | - | - | 434 | - | 14.74 |
| 402101600832 | VSAK-1-20 / 250 | 16 | 45 | 250 | 460 | - | - | 724 | - | 28.08 |
| 402102000831 | VBK-1-22 | 20 | 36 | 110 | 200 | - | - | 294 | - | 9.02 |
| 402102000830 | VAK-1-22 | 20 | 45 | 180 | 340 | - | - | 434 | - | 17.99 |
| 402102000832 | VSAK-1-22 / 250 | 20 | 51 | 250 | 460 | - | - | 754 | - | 34.52 |
| 402103150831 | VBK-1/2-28 | 31.5 | 60 | 190 | 265 | 240 | 120 | 322 | 55 | 31.93 |
| 402103150830 | VAK-1/2-28 | 31.5 | 100 | 250 | 280 | 208 | 120 | 360 | 76 | 64.3 |

**Certex Polska**
info@certex.pl
+48 91 817 28 49

© November 2026 - All Rights Reserved