


Zip-Clip Galvanized

Product information



Gives the ability to produce your own made to measure wire suspension. Use a zip-clip to attach the wire to your chosen anchor point. The range consists of wire reels and separate locking devices with a choice of Safe Working Loads.

The applications

- Wrapping around existing steelwork, I-beams or purlins
- Suitable for use with a wide range of fixings including eye bolt adapters, concrete fixings, deck wedges, purlin clips
- Ideal for long and varied suspension lengths
- Ideal for secondary light supports
- Marine grade stainless steel wire available for specialist applications

Find the wire types and packs for Zip-Clip wire locks we offer under the tab Technical data

Material: High quality zinc alloy

Note: Approved for static suspension, but not dynamic

Part code	Code	Rope Ø range mm	WLL ton	Max. rated load kg	Description
121200100120	KL50	1	0.01	10	Zip-Clip KL50
121200100121	R200G	1	0.01	-	Wire for KL50, 200 m, galv.
121200200120	KL100	2	0.05	50	Zip-Clip KL100
121200200121	R100S	2	0.05	-	Wire for KL100, 100 m, galv.
121200200122	R200S	2	0.05	-	Wire for KL100, 200 m, galv.
121200200123	R500S	2	0.05	-	Wire for KL100, 500 m, galv.
121200300120	KL150	3	0.12	120	Zip-Clip KL150
121200300121	R100Y	3	0.12	-	Wire for KL150, 100 m, galv.
121200400120	KL200	4	0.23	230	Zip-Clip KL200
121200400121	R100P	4	0.23	-	Wire for KL200, 100 m, galv.
121200600120	KL600	6	0.5	500	Zip-Clip KL600
121200600121	R100N	6	0.5	-	Wire for KL600, 100 m, galv.

Technical data