

## Webbing Slings B4

### Product information



Four-layer lifting slings. The width of the sling is increased in relation to the lifting capacity. Ideal for areas where minimum surface pressure is required on the load to be lifted, such as boat lifting. Reinforced folding eyelets as standard.

**Material:** 100% polyester

**Marking:** According to standard, CE-marked

**Temperature range:** -40°C up to +100°C

**Standard:** EN 1492-1

**Note:** Color coded

Part code	WLL ton	EWL m	Webbing width mm	Colour
41030056F	2	1	30	Green
41030055F	2	2	30	Green
41030046F	2	3	30	Green
41030102F	2	4	30	Green
41030103F	2	5	30	Green
41030104F	2	6	30	Green
41030105F	2	7	30	Green
41030106F	2	8	30	Green

41030107F	2	9	30	Green
41030108F	2	10	30	Green
41030109F	4	1	60	Grey
41030071F	4	2	60	Grey
41030070F	4	3	60	Grey
41030067F	4	4	60	Grey
41030045F	4	5	60	Grey
41030110F	4	6	60	Grey
41030111F	4	7	60	Grey
41030112F	4	8	60	Grey
41030113F	4	9	60	Grey
41030114F	4	10	60	Grey
41030094F	6	2	90	Brown
41030039F	6	3	90	Brown
41030054F	6	4	90	Brown
41030049F	6	5	90	Brown
41030040F	6	6	90	Brown
41030115F	6	7	90	Brown
41030100F	6	8	90	Brown
41030116F	6	9	90	Brown
41030117F	6	10	90	Brown
41030052F	8	2	120	Blue
41030118F	8	3	120	Blue

41030119F	8	4	120	Blue
41030120F	8	5	120	Blue
41030041F	8	6	120	Blue
41030120F	8	7	120	Blue
41030121F	8	8	120	Blue
41030122F	8	9	120	Blue
41030089F	8	10	120	Blue
41030123F	10	3	150	Orange
41030124F	10	4	150	Orange
41030097F	10	5	150	Orange
41030084F	10	6	150	Orange
41030125F	10	7	150	Orange
41030095F	10	8	150	Orange
41030126F	10	9	150	Orange
41030090F	10	10	150	Orange
41030151F	16	3	240	Orange
41030152F	16	4	240	Orange
41030080F	16	5	240	Orange
41030051F	16	6	240	Orange
41030059F	16	7	240	Orange
41030064F	16	8	240	Orange
41030048F	16	9	240	Orange
41030065F	16	10	240	Orange

41030075F	20	3	300	Orange
41030098F	20	4	300	Orange
41030068F	20	5	300	Orange
41030066F	20	6	300	Orange
41030127F	20	7	300	Orange
41030001F	20	8	300	Orange
41030128F	20	9	300	Orange
41030053F	20	10	300	Orange
41030129F	24	3	300	Orange
41030130F	24	4	300	Orange
41030131F	24	5	300	Orange
41030132F	24	6	300	Orange
41030133F	24	7	300	Orange
41030134F	24	8	300	Orange
41030135F	24	9	300	Orange
41030136F	24	10	300	Orange