



Endless webbing slings FORANKRA 0,5 - 10 t

Product information

Single-layered endless webbing slings are also available with a double layer, which doubles the workload capacity for the same sling width.

Color coded.

Material: Polyester

Temperature range: -40°C up to 100°C

Note: Standard dimensional tolerance is $\pm 3\%$. Lengths can vary within the tolerance range!.

Part code	WLL ton	EWL m	Band width mm	Circumference length	Colour
41040041F	1	1	30	2	Purple
41040044F	1	1.5	30	3	Purple
41040047F	1	2	30	4	Purple
41040212F	1	3	30	6	Purple
41040053F	1	4	30	8	Purple
41040055F	1	5	30	10	Purple
41040056F	1	6	30	12	Purple
41040057F	1	8	30	16	Purple

41040058F	1	10	30	20	Purple
41040065F	2	1	60	2	Green
41040069F	2	1.5	60	3	Green
41040071F	2	2	60	4	Green
41040073F	2	2.5	60	5	Green
41040074F	2	3	60	6	Green
41040075F	2	3.5	60	7	Green
41040076F	2	4	60	8	Green
41040078F	2	5	60	10	Green
41040079F	2	6	60	12	Green
41040080F	2	8	60	16	Green
41040081F	2	10	60	20	Green
41040085F	3	1	90	2	Yellow
41040086F	3	1.5	90	3	Yellow
41040087F	3	2	90	4	Yellow
41040088F	3	2.5	90	5	Yellow
41040089F	3	3	90	6	Yellow
-	3	4	90	8	Yellow
-	3	5	90	10	Yellow
-	3	6	90	12	Yellow
-	3	8	90	16	Yellow
-	3	10	90	20	Yellow
-	4	1	120	2	Grey

-	4	2	120	4	Grey
-	4	3	120	6	Grey
-	4	4	120	8	Grey
-	4	5	120	10	Grey
-	4	6	120	12	Grey
-	4	8	120	16	Grey
-	4	10	120	20	Grey
-	5	1	150	2	Red
-	5	2	150	4	Red
-	5	3	150	6	Red
-	5	4	150	8	Red
-	5	5	150	10	Red
-	5	6	150	12	Red
-	5	8	150	16	Red
-	5	10	150	20	Red
-	6	2	180	4	Brown
-	6	3	180	6	Brown
-	6	4	180	8	Brown
-	6	5	180	10	Brown
-	6	6	180	12	Brown
-	6	8	180	16	Brown
-	6	10	180	20	Brown
-	8	2	240	4	Blue

-	8	3	240	6	Blue
-	8	4	240	8	Blue
-	8	5	240	10	Blue
-	8	6	240	12	Blue
-	8	8	240	16	Blue
-	8	10	240	20	Blue
-	10	4	300	8	Orange
-	10	5	300	10	Orange
-	10	6	300	12	Orange
-	10	8	300	16	Orange
-	10	10	300	20	Orange