

Roundsling, basic budget Extreema® with Dyneema® core

Product information



The EXTREEMA® round sling with a polyester sleeve is a standard and cost-effective option for lifting tasks demanding dependable performance within a wide temperature range. Polyester sleeves offer reliability, but there are some aspects to consider.

Core: Bio Based Dyneema® core

Suitable sleeve up to 100t: orange standard PES sleeve

Suitable sleeve > 100t: orange PES inner sleeve and covered with PES heavy-duty sleeve

Features:

- Lightweight and flexible, easy to handle
- Does not absorb water
- Floats on water
- Sustainable
- WLL: 3t – 600t
- EWL: 0,5m – 65m
- Standard with RFID

[... Read more](#)

Material: Polyester, Dyneema®

Marking: CE-marked

Temperature range: -40°C up to +100°C

Note: We highly recommend using suitable protection on the sling

Safety factor: 7:1

Roundsling, basic budget Extreema® with Dyneema® core

Technical data

Part code	WLL ton	EWL
340500200300080	2	3
340500200350080	2	3.5
340500300350080	3	3.5
340500300300080	3	3
340500500100080	5	1
340500500200080	5	2
340500500400080	5	4
340500500600080	5	6
340500504000080	5	40
340501000200080	10	2
340501000400080	10	4
340501000800080	10	8
340501001000080	10	10
340501500100080	15	1
340501500500080	15	5
340501600380080	16	3.75
340502000100080	20	1
340502000510080	20	5.14
340502000800080	20	8
340502000970080	20	9.7
340502001000080	20	10
340502400910080	24	9.14
340502500750080	25	7.5
340503000500080	30	5
340503000300080	30	3
340504000040080	40	0.35
340504000270080	40	2.72
340504000490080	40	4.88
340504000520080	40	5.18
340504002000080	40	20
340505000200080	50	2

Roundsling, basic budget Extreema® with Dyneema® core

Technical data

Part code	WLL ton	EWL
340506000300080	60	3
340508000150080	80	1.5
340508003500080	80	35