

Weld-on Lifting Point TAPSK

Product information



TAPSK weld-on sling point, edge fastening, in working load limits of 3,0 - 8,0 t [... Read more](#)

Features: 180° swing.

Marking: CE-marked, UKCA-marked


Finish: Red painted.

Safety factor: 4:1

Grade: 8

Weld-on Lifting Point TAPSK


Blueprint



Technical data

Part code	Code	WLL ton	EWL mm	a mm	b mm mm	c mm	Ø d mm	l mm mm	Weight kg
42150380703100	TAPSK 3	3.15	53	12	56	50	18	53	1.01
42150380705100	TAPSK 5	5.3	63	15	67	60	22	63	1.84
42150380708100	TAPSK 8	8	68	20	80	70	26	68	3.14

Kind of attachment



Number of pieces	1	1	2	2	2	3 o. 4	3 o. 4
Inclination angle	0°	0°	0°	0°-45°	45°-60°	0°-45°	45°-60°
	WLL	WLL	WLL	WLL	WLL	WLL	WLL
Code	t	t	t	t	t	t	t
TAPSK 3	3,15	3,15	6,3	4,45	3,15	6,7	4,75
TAPSK 5	5,3	5,3	10,6	7,5	5,3	11,2	8
TAPSK 8	8	8	16,0	11,2	8	17	11,8