

Kausza z stali nierdzewnej



Informacja o produkcie



Tłoczone z profilowanej stali. Pierwszy wybór dla surowego środowiska w sektorze morskim.

Materiał: Nierdzewna stal kwasoodporna AISI 316.

Zakończenie: Polerowany

Nr artykułu	Średnica liny mm	A mm	B mm	L	S mm	Waga kg/100pcs
123100200190	2	3	9	16	1,0	0,2
123100300190	3	4	10	17	1,0	0,3
123100400190	4	5	11	19	1,35	0,5
123100500190	5	6	13	21	1,2	0,7
123100600190	6	7	15	27	1,5	1,1
123100700190	7	8	19	33	1,5	1,4
123100800190	8	9	22	38	2,0	2,6
123100900190	9	10	24	43	2,0	3,1

123101000190	10	11	27	46	2,7	4,9
123101200190	12	14	29	52	2,7	6,6
123101400190	14	16	33	57	3,0	9
123101600190	16	18	40	67	3,0	11,3
123101800190	18	20	45	75	4,0	19
123102000190	20	22	52	84	4,0	31,2
123102200190	22	24	56	93	5,0	45,5
123102600190	26	28	65	112	6,0	67
123102800190	28	30	80	135	5,5	82
123103200190	32	34	92	160	6,25	110
123103400190	34	36	105	160	6,0	117
123103600190	36	38	115	176	6,0	142
123103800190	38	40	120	180	8,0	206
123104000190	40	42	120	192	8,0	220
123104200190	42	45	150	240	8,0	304

Rysunek techniczny

