



VIP Round Steel Link Chain RUD

Product information

The inhouse made special heat treatment gives the grade 100 round steel link chain a high toughness even at the high strength of the material. The chain is less sensitive regarding mechanical wear and damages which leads to a longer lifetime.

Marking: According to standard

Standard: EN 818

Safety factor: 4:1

Класс: 10

Код товара	Chain diameter mm	WLL ton	Длина м m	A	B,	T mm	Вес kg
203500401000190	4	0,63	100	4	5,2	12	0,38
203500400000190	4	0,63	-	4	5,2	12	0,38
203500602000190	6	1,5	200	6	7,8	18	0,91
203500600000190	6	1,5	-	6	7,8	18	0,91
203500801500190	8	2,5	150	8	10	24	1,57
203500800000190	8	2,5	-	8	10	24	1,57
203501001000190	10	4	100	10	13	30	2,45
203501000000190	10	4	-	10	13	30	2,45
203501300800190	13	6,7	80	13	17	39	4,04
203501300000190	13	6,7	-	13	17	39	4,04
203501600500190	16	10	50	16	21	48	6,02
203501600000190	16	10	-	16	21	48	6,02
203502000400190	20	16	40	20	26	60	9,79
203502000000190	20	16	-	20	26	60	9,79
203502200300190	22	20	30	22	29	66	12,31
203502200000190	22	20	-	22	29	66	12,31
203502800000190	28	31,5	-	28	37	84	18,6

Blueprint

