



Быстрый замок для "Груш"

Product information

Назначение: Служит для быстрого соединения звеньев троса.

Материал: Закалённая сталь 42 Mn V 7.

Marking: According to standard, CE-marked

Standard: EN 1677-1

Код товара	Код	WLL	MBL	A,	B,	C,	D,	E,	F,	Вес kg
122300300020	RL-4	3	25	76	76	24,5	19	30	21	0,9
122300450020	RL-5	4,5	33	84	84	27	21	32,5	23	1,2
122300500020	RL-6	5	37,5	92	92	29,5	23	35	25	1,5
122300700020	RL-7	7	49	100	100	32	25	38	28	2
122300800020	RL-8	8	54	108	108	34,5	27	40,5	31	2,5
122300950020	RL-9	9,5	60	116	116	37	29	43,5	34	3,1
122301200020	RL-10	12	75	128	128	40,5	32	48	37	4,4
122301500020	RL-11	15	95	140	140	44	35	53	40	5,7
122301700020	RL-12	17	110	152	152	47,5	38	57	43	7,2
122302100020	RL-13	21	135	164	164	51	41	61,5	46	8,7
122302600020	RL-14	26	160	176	173	54	44	66	50	11
122303000020	RL-15	30	175	188	188	58	47	70,5	52	13,5
122304250020	RL-17	42,5	260	222	222	68	56	84	62	23

Blueprint

