

# Anchor Starcon Load Group 1.3 t



## Product information

The Starcon spherical head anchor load group 1,3 t is a steel component made for concrete casting. The foot of the anchor is constructed especially for strong concrete anchorage.

The cylindrical head of the STARCON spherical anchor is attached to a STARCON Lifting eye, standard coupling lifting eye for lifting.

Starcon refers to the guidelines in VDI/BV-BS 6205 and DS/CEN/TR 15728.

**Marking:** CE-marked, UKCA-marked

Код товара	Load grp.	Длина мм	Finish	D мм	D1 мм	D2 мм	L мм	Вес kg
99.101010400	1.3t	40	Untreated	10	19	25	40	0,05
99.101010402	1.3t	40	HDG	10	19	25	40	0,05
99.101010550	1.3t	55	Untreated	10	19	25	55	0,06
99.101010552	1.3t	55	HDG	10	19	25	55	0,06
99.101010650	1.3t	65	Untreated	10	19	25	65	0,07
99.101010652	1.3t	65	HDG	10	19	25	65	0,07
99.101010850	1.3t	85	Untreated	10	19	25	85	0,08
99.101010852	1.3t	85	HDG	10	19	25	85	0,08
99.101011200	1.3t	120	Untreated	10	19	25	120	0,1
99.101011202	1.3t	120	HDG	10	19	25	120	0,1
99.101012402	1.3t	240	HDG	10	19	25	240	0,17

## Blueprint

