

# CONSTRUCTION ACCESSORIES



[Crane forks »](#)

[Liftable bins and barrels »](#)

[Protective material handling baskets »](#)

[Concrete lifting buckets »](#)

[Man baskets »](#)


## CRANE FORKS WITH ADJUSTABLE AND FIXED FORKS

- note, lifting piece's weight must be minimum of 20 % of the maximum WLL! (does not apply to model NOH15001)
- equipped with automatic adjustment, keeping the load in balance (does not apply to model NOH15001)
- safety factor 4 : 1
- powder coated
- EN 13155

WLL kg	Fork type	A mm	B mm	C mm	D mm	Weight n. kg	Product code
1500	Fixed forged	1500	1000	700	50	95	NOH15001
1500	Adjustable forged	1300-2000	1000	350-900	40	165	NOH1500S
2000	Adjustable forged	1300-2000	1000	400-900	40	220	NOH2000SB
3000	Adjustable forged	1300-2000	1000	450-900	50	280	NOH3000S



NOH15001




## CRANE FORKS WITH MANUAL ADJUSTMENT AND ADJUSTABLE FORKS

- two models, powder coated and hot dip galvanized
- crane fork's height and width of the forks can be adjusted
- manual balancing of the load
- safety factor 4 : 1
- EN 13155

WLL kg	Coating	A mm	B mm	C mm	D mm	E mm	F mm	G mm	L mm	M mm	Weight approx. kg	Product code
1500	Painted	1000	1000	300	1000	1600	450	1000	30	90	140	NOH1500SK
1500	Hot dip galv.	1000	1000	300	1000	1600	450	1000	30	90	148	*NOH1500SKKS
2000	Painted	1000	1000	300	1200	1800	450	1000	35	100	160	NOH2000SK
2000	Hot dip galv.	1000	1000	300	1200	1800	450	1000	35	100	165	*NOH2000SKKS

\*Items marked with an asterisk delivery time 4-6 weeks



The width of the forks can be adjusted.

## FOLDABLE CRANE FORKS WITH AUTOMATIC ADJUSTMENT

- equipped with automatic adjustment, keeping the load in balance
- powder coated
- safety factor 4 : 1
- EN 13155

WLL kg	A mm	B mm	C mm	D mm	E mm	F mm	G mm	L mm	M mm	Weight approx. kg	Product code
600	1600	340	1300	1200	2360	1080	1000	25	80	95	*NOH6001B
1000	1600	340	1300	1200	2360	1080	1000	25	90	120	*NOH10001B
1500	1600	340	1300	1200	2360	1080	1000	30	90	130	NOH15001B
2000	1600	340	1300	1200	2360	1080	1000	35	100	146	*NOH20001B
2500	1600	380	1300	1200	2360	1090	1000	35	120	170	*NOH25001B
3000	1600	380	1300	1200	2360	1090	1000	35	120	175	*NOH30001B



\*Items marked with an asterisk delivery time 4-6 weeks



The width of the forks can be adjusted with the crank, also when folded for transportation. EN 13155.

NOTE! Lifting always from the long side of the pallet!

See safety baskets on page 5-7.




## FOLDABLE CRANE FORKS WITH AUTOMATIC ADJUSTMENT AND SELF-LEVELLING FORKS

- equipped with automatic adjustment, keeping the load in balance – forks are equipped with articulations so that they always remain in optimal position
- powder coated
- safety factor 4 : 1
- EN 13155

WLL kg	A mm	B mm	C mm	D mm	E mm	F mm	G mm	L mm	M mm	Weight approx. kg	Product code
600	1600	340	1300	1200	2360	1080	1000	25	80	95	*NOH6001C
1000	1600	340	1300	1200	2360	1080	1000	25	90	120	*NOH10001C
1500	1600	340	1750	1200	2360	1080	1000	30	90	130	NOH15001C
2000	1600	340	1300	1200	2360	1080	1000	35	100	150	*NOH20001C
2500	1600	380	1300	1200	2360	1090	1000	35	120	180	*NOH25001C
3000	1600	380	1300	1200	2360	1090	1000	35	120	185	*NOH30001C



\*Items marked with an asterisk delivery time 4-6 weeks



The width of the forks can be adjusted with the crank, also when folded for transportation. EN 13155.

NOTE! Lifting always from the long side of the pallet!

See safety baskets on page 5-7.



## CRANE FORKS WITH AUTOMATIC ADJUSTMENT AND ADJUSTABLE FORKS

- equipped with automatic adjustment, keeping the load in balance
- with adjustable forks
- two models, powder coated or hot dip galvanized
- safety factor 4 : 1
- EN 13155

WLL kg	Coating	A mm	B mm	C mm	D mm	E mm	F mm	G mm	L mm	M mm	Weight approx. kg	Product code
1500	Painted	1000	1000	300	1000	1600	700	1000	30	90	151	*NOH1500D
1500	Hot dip galv.	1000	1000	300	1000	1600	700	1000	30	90	155	*NOH1500DKS
2000	Painted	1000	1000	300	1200	1800	700	1000	35	100	170	*NOH2000D
2000	Hot dip galv.	1000	1000	300	1200	1800	700	1000	35	100	170	*NOH2000DKS

\*Items marked with an asterisk delivery time 4-6 weeks



The width of the forks can be adjusted.

## PIPE LAYING HOOKS

- used for e.g. lifting concrete drum pipes
- lengths 1 -3 m, determined with the order

WLL	Product code
500	*EKNOSTIN0500
1000	*EKNOSTIN1000
2000	*EKNOSTIN2000
3000	*EKNOSTIN3000
5000	*EKNOSTIN5000
6500	*EKNOSTIN6500
8000	*EKNOSTIN8000

\*Items marked with an asterisk delivery time 4-6 weeks

